



Floor Cleaning Procedures

STONHARD

Cleaning Your Stonhard Floors

Stonkleen products are formulated to safely and effectively oxidise, degrease and remove stubborn stains inherent to your specific facility floors, while allowing the floors to retain their finish. This guide gives you step-by-step cleaning procedures and instructions. Instructions for each product are also located on product labels and on product data sheets. Also available to you are market-specific floor maintenance guides which are available from your Stonhard representative.

BENEFITS OF STONKLEEN PRODUCTS:

- Safe with environmentally sensitive options.
- Formulated to meet specific facility needs.
- Easy to use.
- Customised maintenance programmes available.

OPTIONS FOR CLEANING FLOORS

A ride-on floor scrubber of any brand

- For very large areas.



A pedestrian walk-behind floor scrubber

We recommend an easy to use model to minimise the chance of damaging your floors.

- Soft nylon brush attachments always recommended.
- Always start with the lightest brush pressure.



50 cm rotary floor cleaning machine

- Equipped with nylon brush head attachment (recommended).
- If used with degreasers, a secondary method will be needed for extraction and final rinse (i.e. shop vacuum or rubber squeegee).



Manual cleaning

- Soft nylon deck or hand brushes.
- Used for spot cleaning as well as corners and perimeter where scrubbers and rotary cleaning machines can't reach.
- If deck brushes are used with degreasers, a secondary method will be needed for extraction and final rinse, i.e. wet vacuum.



RECOMMENDED MAINTENANCE SCHEDULE

DAILY MAINTENANCE

- Stonkleen DG2 - No rinse, green certified everyday cleaner. Can be used with a mop and bucket and also in a ride-on or walk-behind floor scrubber.

WEEKLY MAINTENANCE

- Stonkleen TD9 - A heavy-duty degreaser and tyre mark remover for industrial environments.
- Stonkleen FS9 - A heavy-duty enzyme degreaser targeting fats, oils and organic compounds found in food service or food manufacturing environments.
- Proper dilution of both products is essential for maximum performance and economy.

Instructions:

For use in ride-on and walk-behind floor scrubbers, if used with a rotary floor cleaner, a secondary method of extraction will be needed. First pass with machinery is to be made with the vacuum and squeegee turned off. Allow product to penetrate for 4 minutes. Second pass, scrub and extract using squeegee and vacuum. Third pass with only clean water in the tank, scrub and extract using squeegee and vacuum ensuring a thorough rinsing of the floor.

DEEP CLEANING FOR HEALTHCARE ENVIRONMENTS

- Stonkleen AS9 - Cleans, disinfects and sanitises, used to clean residue from existing chemicals.
- Proper dilution of both products essential for maximum performance and economy.

Instructions:

For use in ride-on and walk-behind floor scrubbers, if used with rotary floor cleaner, a secondary method of extraction will be needed. Apply product to floor using mop and bucket. Allow to penetrate for 4 minutes depending on the amount of residue or film. First pass with machine, scrub and extract using vacuum and squeegee. Second pass with only clean water in the tank, scrub and extract using squeegee and vacuum ensuring a thorough rinsing of the floor.

HEAVILY SOILED SPOT REMOVAL

- Stonkleen SR9 - Used at full strength for removal of Betadine and other stubborn stains found in healthcare environments.
- Stonkleen TD9 - At 50% dilution ratio with water, it is used for removal of tyre marks from trucks, forklifts and pallet trucks. Also removes petrochemical stains.
- Stonkleen MD9 - At 50% dilution ratio with water, it is used for food service areas and hard water mineral deposits.

Instructions:

Apply to stains, tyre marks, and scuff marks. Allow product to penetrate for 30 seconds to one minute while scrubbing intermittently with soft nylon deck or hand brush. Extract with clean absorbent cloth or mechanically. Rinse thoroughly with clean water and wipe clean.

For your safety, all required personal protection equipment should be used when operating machinery or handling chemicals. For more information on customer specific maintenance programmes, contact us on 01256 336600.



STONKLEEN PRODUCTS

Stonkleen FS9/Enzyme Degreaser – Heavy-duty cleaner removes fats and oils found in food service/processing environments.

Stonkleen MD9/Hard Water Cleaner – Removes hard water mineral deposits found in food service/processing environments.

Stonkleen TD9/Floor Cleaner for Tyre Marks and Hard Residue – Removes tyre marks, petroleum oils and metal oxides found in manufacturing environments.

Stonkleen SR9/Professional Spot Lifter – Removes tough spots and stains including grease, food and Betadine found in healthcare facilities.

Stonkleen DG2/Green General Purpose Cleaner – Green certified, no VOCs, effective daily cleaner for removing oils and greases found in public facilities.

Stonkleen SG2 Oxidising Cleaner – Chlorine-based cleaner to clean and oxidise hard surfaces in public spaces and manufacturing environments.

Stonkleen NC9/Neutral Floor Cleaner – Used to efficiently clean and maintain acrylic finishes.

Stonkleen AS9/Daily Floor Stripper – A floor finish stripper/liquefier designed to effectively remove aged, spray-buffed and multiple layers of floor finish.



STONHARD[®]

© Stonhard 2016
Stonhard is an ISO-9001 2000 Registered Company

01256 336600 • uk@stonhard.com
www.stonhard.co.uk